

L Number	Hits	Search Text	DB	Time stamp
5	2	4345044.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:50
6	16954	kit.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:52
7	74	kit.ti. and wood and (acrylic crack\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:52
8	9	(kit.ti. and wood and (acrylic crack\$3)) and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:52
9	22677	kit.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:52
10	373	kit.clm. and wood and (acrylic crack\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:52
11	101	(kit.clm. and wood and (acrylic crack\$3)) and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:52
12	3591	((kit.clm. and wood and (acrylic crack\$3)) and latex) and crack\$4 antiq\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:58
13	11	((kit.clm. and wood and (acrylic crack\$3)) and latex) and (((kit.clm. and wood and (acrylic crack\$3)) and latex) and crack\$4 antiq\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:57
14	237020	kit.clm. and stain paint	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:57
15	2746	(kit.clm. and stain paint) and kit.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:57
16	3701	((kit.clm. and stain paint) and kit.clm.) and crack\$4 antiq\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:58
17	3582	((kit.clm. and stain paint) and kit.clm.) and crack\$4 antiq\$8 and crackl\$3 antiq\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:58
18	13	((kit.clm. and stain paint) and kit.clm.) and crack\$4 antiq\$8 and crackl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 22:58
-	0	crackle with latex and wood	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 12:54

-	3	crackle and latex and wood	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 12:57
-	60	crack\$3 same (latex and wood)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:45
-	331820	"60" and color\$4 pigment\$4 with latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 12:58
-	5183	(crack\$3 same (latex and wood)) and color\$4 pigment\$4 with latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 12:59
-	27	(crack\$3 same (latex and wood)) and ((crack\$3 same (latex and wood)) and color\$4 pigment\$4 with latex)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 15:53
-	1	limestone same chlorite same kaolin same talc same quartz same magnesium adj carbonate	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:04
-	6	("3869295"   "4043826"   "4299790"   "4362566"   "5730797"   "6200381").PN.	USPAT	2003/06/05 13:03
-	20	((crack\$3 same (latex and wood)) and ((crack\$3 same (latex and wood)) and color\$4 pigment\$4 with latex)) and acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:06
-	3	((((crack\$3 same (latex and wood)) and ((crack\$3 same (latex and wood)) and color\$4 pigment\$4 with latex)) and acrylic) and appear\$4 with crack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:08
-	61	(latex with wood near4 (filler additive agent))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:20
-	1	(crack\$3 same (latex and wood)) and ((latex with wood near4 (filler additive agent)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:09
-	1	((latex with wood near4 (filler additive agent))) and emboss\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:13
-	1825759	((latex with wood near4 (filler additive agent))) and seal\$4 with coat\$3 composition	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:15
-	38	((((latex with wood near4 (filler additive agent))) and seal\$4 with coat\$3 composition) and ((latex with wood near4 (filler additive agent)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:17
-	3066	wood\$5 near3 panel[ti]	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:19
-	1	((latex with wood near4 (filler additive agent))) and (wood\$5 near3 panel[ti])	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:19



-	3	wood\$like adj panel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:19
-	851	simulated\$wood simulated near3 wood\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:20
-	0	((simulated\$wood simulated near3 wood\$4) and ((latex with wood near4 (filler additive agent)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 13:20
-	4	(latex with wood ) and (simulated\$wood simulated near3 wood\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 16:58
-	0	plasticare.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:00
-	6	plasti\$kote.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:03
-	2746	523/\$.ccls. and crack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:03
-	463449	(523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:04
-	621	(523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:04
-	1	((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and latex with wood with filler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:33
-	145	((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and 428/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:09
-	0	((((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and 428/\$.ccls.) and 428/155.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:00
-	1	((((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and 428/\$.ccls.) and 428/195.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:09
-	3	((((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and 428/\$.ccls.) and 428/141.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:13
-	0	((((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and 428/\$.ccls.) and 428/173.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:13
-	3	((((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and 428/\$.ccls.) and 428/141.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:13

-	185	((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:14
-	10	((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and latex) and emboss\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:17
-	45	((523/\$.ccls. and crack\$3) and ((523/\$.ccls. and crack\$3) and crack\$3 with latex wood\$4)) and latex) and transparent	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:19
-	7	4430367.URPN.	USPAT	2003/06/05 17:18
-	8	antique and transparent and finish and latex and wood\$5 and acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:32
-	7	4409276.URPN.	USPAT	2003/06/05 17:22
-	0	6110317.URPN.	USPAT	2003/06/05 17:32
-	18	3904791.URPN.	USPAT	2003/06/05 17:42
-	2	3994843.URPN.	USPAT	2003/06/05 17:44
-	3	4317847.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:49
-	3	4317847.URPN.	USPAT	2003/06/05 17:47
-	2	3692557.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 17:49
-	5	3692557.URPN.	USPAT	2003/06/05 17:49
-	2	4046934.URPN.	USPAT	2003/06/05 17:50
-	5	3692557.URPN.	USPAT	2003/06/05 17:59
-	247	428/155.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:00
-	8	428/155.ccls. and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:06
-	5	3769063.URPN.	USPAT	2003/06/05 18:02
-	1	5601876.URPN.	USPAT	2003/06/05 18:02
-	0	5601876.pn. and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:06
-	1	5601876.pn. and acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:06
-	0	(crackle antique aged near3 finish) and latrix and acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:22
-	331460	(crackle antique aged near3 finish)acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:22
-	198	(crackle antique aged near3 finish) AND acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:23

-	71	((crackle antique aged near3 finish) AND acrylic) AND wood	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:23
-	11	((((crackle antique aged near3 finish) AND acrylic) AND wood) and emboss\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/05 18:23
-	2	3692557.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/08 17:18
-	5	3692557.URPN.	USPAT	2003/06/08 16:49
-	4	3411943.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/08 17:19
-	6	3769063.pn. 561876.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/24 19:38
-	2	5601876.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/06/24 19:38
-	2	((crack\$3 adj medium) and latex)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 15:55
-	5726	acrylic and paint and crack\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 15:55
-	5726	(acrylic and paint and crack\$5) and crack\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 15:55
-	0	(acrylic and paint and crack\$5) and crack\$5 adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 15:55
-	141	(acrylic and paint and crack\$5) and crack\$5 and island	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 15:55
-	21	((acrylic and paint and crack\$5) and crack\$5 and island) and crack\$4 same island	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 15:56
-	5	((((acrylic and paint and crack\$5) and crack\$5 and island) and crack\$4 same island) and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:10
-	196	106/14.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:11
-	20	106/14.34.ccls. and crack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:11

-	7060	ceramic same wood same glass	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:19
-	2968	(ceramic same wood same glass) and acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:19
-	96	((ceramic same wood same glass) and acrylic) and acrylic near3 paint\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:19
-	37	((((ceramic same wood same glass) and acrylic) and acrylic near3 paint\$5) and medium	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:27
-	2869	(color paint) with glaz\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:28
-	20	((color paint) with glaz\$4) and antiqu\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:38
-	2	3692557.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:41
-	0	(3692557.pn. and acrylic) and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:41
-	1	3692557.pn. and acrylic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:44
-	5	3692557.URPN.	USPAT	2003/11/23 16:42
-	7	FolkArt	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:46
-	25315	acrylic same (medium primer varnish)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:47
-	352906	(acrylic same (medium primer varnish)) and tempera fleckstone krylon crack\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:48
-	2959	(acrylic same (medium primer varnish)) and ((acrylic same (medium primer varnish)) and tempera fleckstone krylon crack\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:48
-	2846	((acrylic same (medium primer varnish)) and ((acrylic same (medium primer varnish)) and tempera fleckstone krylon crack\$5)) and crack\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:49
-	151	((((acrylic same (medium primer varnish)) and ((acrylic same (medium primer varnish)) and tempera fleckstone krylon crack\$5)) and crack\$5) and glaz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:49

-	24	(((acrylic same (medium primer varnish)) and ((acrylic same (medium primer varnish)) and tempera fleckstone krylon crack\$5)) and crack\$5) and glaz\$5) and decorat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:53
-	2001459	crack\$5 near\$4 finish	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:54
-	1755690	crackle cracked crackled near\$4 finish	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 16:57
-	34	(crackle cracked crackled) adj finish	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 17:06
-	1	(latex near3 wood near3 filler ) and stain	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 17:07
-	5	latex near3 wood near3 filler	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 17:13
-	155	427/257.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 17:18
-	2	(427/257.ccls. and latex) and wood	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 17:17
-	7	427/257.ccls. and latex	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/23 17:18



# Suzi's WoodCrafts Plus

www.suziswoodcrafts.com

Join our newsletter

email address

Join

[Home](#) | [Show Cart](#) | [About Us](#) | [Contact Us](#) | [Privacy Policy](#) | [Shipping](#) | [Return Policy](#)

[How to use Crackle Medium - click here.](#)

Track Your UPS Shipment

New Items

Closeout Sale

Paintable Surfaces

Unfinished Wood Crafts

Paintable Tin and Rusty Tin

Paper Mache Paintables

Other Paintable Surfaces

Paints, Mediums & Finishes

Acrylic Paints

Paint Mediums

Special Paints & Oil Pencils

Craft Project Finishes

Decoupage Supplies

Stained Glass Look

Wood Burning Supplies

Wood Carving Supplies

Paint Brushes, Tools, Etc.

Paint Brushes

Tools/Supplies

Stenciling Supplies

Stencils/Rub-ons Etc.

Stencils

Rub-Ons/Decals

Wallies

Pressed and Dried Flowers

Misc. Finishing Touches

Woodcraft Patterns

Donna Dewberry One Stroke  
Instructions/Supplies

Wood Crafts Books and Videos.

Patterns 'n Books

Learning/Teaching Guides

Reference Guides

Videos

Finished Crafts

Antler Art

Americana



## FolkArt® Crackle Medium

Create a weathered, time-worn look to projects with FolkArt® Crackle Medium.

FolkArt® Crackle Medium is applied between two paint or paint and a varnish. When these layers dry, Crackle Medium shrinks and pulls cracks in the finish.

Two sizes available.

**2 oz Crackle Medium PLD 694** Suggested Retail Price: ~~\$2.16~~ \$  
Price: \$1.94 [Order](#)

**4 oz Crackle Medium PLD 695** Suggested Retail Price: ~~\$3.10~~ \$  
Price: \$2.87 [Order](#)


**8 oz Crackle Medium PLD 696** Suggested Retail Price: ~~\$5.80~~ \$  
Price: \$5.30 [Order](#)





Tips 'n Tricks  
Send a Gift Card  
Gift Certificates.  
Links.  
Search Engines.

Visit Suzi's Dollhouses-  
Click Below



32 days until Christmas!

26 Shipping days until Christmas!

"The only limitation is your imagination!"



Do you have a question or need something special?  
E-mail us by clicking on the contact tab at top of page.

[Top of page](#) | [Home](#) | [Show Order](#) | [Index](#) | [Privacy Info](#) | [Question](#)

29895 N Stampede Rd · Athol, ID 83801 · (888) 941-0044  
Copyright © 2003 Suzi's Wood Crafts Plus, Inc. All rights reserved worldwide.

[Site Map](#)



Our Family of Stores also include:



[BudgetArtKids.com](#)




[BudgetArtMaterials.cc](#)

You are currently visiting the page:

**FolkArt® Crackle Medium**

[Send This Page To a Friend](#)



# Suzi's WoodCrafts Plus

[www.suziswoodcrafts.com](http://www.suziswoodcrafts.com)

Join our newsletter

[Home](#) | [Show Cart](#) | [About Us](#) | [Contact Us](#) | [Privacy Policy](#) | [Shipping](#) | [Return Policy](#)
[Click here for helpful Tips 'n Tricks!](#)

Track Your UPS Shipment

New Items

Closeout Sale

Paintable Surfaces

Unfinished Wood Crafts

Paintable Tin and Rusty Tin

Paper Mache Paintables

Other Paintable Surfaces

Paints, Mediums &amp; Finishes

Acrylic Paints

Paint Mediums

Special Paints &amp; Oil Pencils

Craft Project Finishes

Decoupage Supplies

Stained Glass Look

Wood Burning Supplies

Wood Carving Supplies

Paint Brushes, Tools, Etc.

Paint Brushes

Tools/Supplies

Stenciling Supplies

Stencils/Rub-ons Etc.

Stencils

Rub-Ons/Decals

Wallies

Pressed and Dried Flowers

Misc. Finishing Touches

Woodcraft Patterns

Donna Dewberry One Stroke  
Instructions/Supplies

Wood Crafts Books and Videos.

Patterns 'n Books

Learning/Teaching Guides

Reference Guides



Videos

Finished Crafts

Antler Art

Americana

## How to use FolkArt® Crackle Medium



STEP 1. Paint basecoat color. Apply Crackle Medium with a brush or sponge; let dry completely. For large circles, apply a generous amount of Crackle Medium; for cracks, apply less medium.



STEP 2. Brush on an even, smooth coat of top coat (second paint). Cracks will form. DO NOT OVER BRUSH, as that will cause the cracks to disappear. Dry completely.

Tips 'n Tricks

Send a Gift Card



Gift Certificates.

Links.

Search Engines.

Visit Suzi's Dollhouses-

Click Below



### ***One color crackle:***

Follow step 1 as above. When Crackle Medium is dry, brush on a coat of Waterbase Varnish. Cracks will form. To make crackling, rub tinted Glazing Medium or Antiquing Medium into cracks with sponge. Let Dry.



**32 days until Christmas!**

**26 Shipping days until Christmas!**

**"The only limitation is your imagination!"**



Do you have a question or need something special?  
E-mail us by clicking on the contact tab at top of page.

**[Top of page](#) | [Home](#) | [Show Order](#) | [Index](#) | [Privacy Info](#) | [Question](#)**

29895 N Stampede Rd · Athol, ID 83801 · (888) 941-0044  
Copyright © 2003 Suzi's Wood Crafts Plus, Inc. All rights reserved worldwide.

[Site Map](#)



Our Family of Stores also include:



[BudgetArtKids.com](http://BudgetArtKids.com)



[BudgetArtMaterials.cc](http://BudgetArtMaterials.cc)

You are currently visiting the page:

**How to use FolkArt® Crackle Medium**

[Send This Page To a Friend](#)